


CH*G6 HEAVY PIPE CLAMPS

Hexagon head bolt + cover plate + cover plate clamp body



| SERIES | ORDER CODE | PIPE O.D.D1 | INCH BORE | INCH O.D | CLAMP BODY | | | | | WELD PLATE | | | | | BOLT |
|-----------|-------------|-------------|-----------|----------|------------|----|----|---|-------|------------|----|---|----|----|--------|
| | | | | | L1 | L2 | H | S | width | L1 | L2 | S | B | D1 | |
| H1 | CH*G6-106 | 6 | | | 55 | 33 | 32 | 2 | 30 | 55 | 33 | 8 | 30 | 11 | M10X45 |
| | CH*G6-108 | 8 | | | | | | | | | | | | | |
| | CH*G6-109.5 | 9.5 | | 3/8 | | | | | | | | | | | |
| | CH*G6-110 | 10 | 1/8 | | | | | | | | | | | | |
| | CH*G6-112.7 | 12.7 | | 1/2 | | | | | | | | | | | |
| | CH*G6-113.5 | 13.5 | 1/4 | | | | | | | | | | | | |
| | CH*G6-114 | 14 | | | | | | | | | | | | | |
| | CH*G6-115 | 15 | | | | | | | | | | | | | |
| | CH*G6-116 | 16 | | 5/8 | | | | | | | | | | | |
| | CH*G6-117.2 | 17.2 | 3/8 | | | | | | | | | | | | |
| CH*G6-118 | 18 | | | | | | | | | | | | | | |
| H2 | CH*G6-218 | 18 | | | 70 | 45 | 48 | 2 | 30 | 70 | 45 | 8 | 30 | 11 | M10X60 |
| | CH*G6-219 | 19 | | 3/4 | | | | | | | | | | | |
| | CH*G6-220 | 20 | | | | | | | | | | | | | |
| | CH*G6-221.3 | 21.3 | 1/2 | | | | | | | | | | | | |
| | CH*G6-222 | 22 | | 7/8 | | | | | | | | | | | |
| | CH*G6-225 | 25 | | 1 | | | | | | | | | | | |
| | CH*G6-226.9 | 26.9 | 3/4 | | | | | | | | | | | | |
| | CH*G6-228 | 28 | | | | | | | | | | | | | |
| CH*G6-230 | 30 | | | | | | | | | | | | | | |

Different forms or requirements upon request

Note: acc. to national standard: JB/ZQ4008-97

| | | | | | | | | | | | | | | | |
|-----------|-------------------|---------|-------|-------|-----|-----|-----|----|-----|-----|-----|----|-----|----|---------|
| H3 | CH*G6-330 | 30 | | | 85 | 60 | 60 | 2 | 30 | 85 | 60 | 8 | 30 | 11 | M10X70 |
| | CH*G6-332 | 32 | | 1 1/4 | | | | | | | | | | | |
| | CH*G6-33.7 | 33.7 | 1 | | | | | | | | | | | | |
| | CH*G6-335 | 35 | | | | | | | | | | | | | |
| | CH*G6-338 | 38 | | 1 1/2 | | | | | | | | | | | |
| | CH*G6-340 | 40 | | | | | | | | | | | | | |
| | CH*G6-342 | 42 | 1 1/4 | | | | | | | | | | | | |
| H4 | CH*G6-442 | 42 | 1 1/4 | | 115 | 90 | 89 | 3 | 45 | 115 | 90 | 8 | 45 | 14 | M12X100 |
| | CH*G6-444.5 | 44.5 | | 1 3/4 | | | | | | | | | | | |
| | CH*G6-448.3 | 48.3 | 1 1/2 | | | | | | | | | | | | |
| | CH*G6-450.8 | 50.8 | | 2 | | | | | | | | | | | |
| | CH*G6-455 | 55 | | | | | | | | | | | | | |
| | CH*G6-457 | 57 | | 2 1/4 | | | | | | | | | | | |
| | CH*G6-460.3 | 60.3 | 2 | | | | | | | | | | | | |
| | CH*G6-463.5 | 63.5 | | 2 1/2 | | | | | | | | | | | |
| | CH*G6-465 | | | | | | | | | | | | | | |
| CH*G6-470 | | | | | | | | | | | | | | | |
| H5 | CH*G6-570 | 70 | | | 150 | 122 | 120 | 3 | 60 | 150 | 122 | 8 | 60 | 18 | M16X130 |
| | CH*G6-575 | 70 | | | | | | | | | | | | | |
| | CH*G6-576.1 | 76.1 | 2 1/2 | 3 | | | | | | | | | | | |
| | CH*G6-580 | 80 | | | | | | | | | | | | | |
| | CH*G6-582.5 | 82.5 | | 3 1/4 | | | | | | | | | | | |
| | CH*G6-588.9 | 88.9 | 3 | | | | | | | | | | | | |
| H6 | CH*G6-688.9 | 88.9 | 3 | | 205 | 168 | 167 | 4 | 80 | 205 | 168 | 12 | 80 | 22 | M20X190 |
| | CH*G6-6100 | 100 | | | | | | | | | | | | | |
| | CH*G6-6102 | 102 | 3 1/2 | | | | | | | | | | | | |
| | CH*G6-6108 | 108 | | 4 1/4 | | | | | | | | | | | |
| | CH*G6-6114 | 114 | 4 | | | | | | | | | | | | |
| | CH*G6-6127 | 127 | | 5 | | | | | | | | | | | |
| | CH*G6-6133 | 133 | | 5 1/4 | | | | | | | | | | | |
| H7 | CH*G6-7133 | 133 | | 5 1/4 | 250 | 205 | 200 | 4 | 90 | 250 | 205 | 12 | 90 | 26 | M24X220 |
| | CH*G6-7140 | 140 | 5 | | | | | | | | | | | | |
| | CH*G6-7152 | 152 | | 6 | | | | | | | | | | | |
| | CH*G6-7159 | 159 | | 6 1/4 | | | | | | | | | | | |
| | CH*G6-7165 | 165 | | 6 1/2 | | | | | | | | | | | |
| | CH*G6-7168 | 168 | 6 | | | | | | | | | | | | |
| H8 | CH*G6-8168 | 168 | 6 | | 336 | 265 | 270 | 5 | 120 | 336 | 265 | 20 | 120 | 35 | M30X300 |
| | CH*G6-8177.8 | 193.7 | | 7 | | | | | | | | | | | |
| | CH*G6-8193.7 | 193.7 | | 7 5/8 | | | | | | | | | | | |
| | CH*G6-8216 | 216 | | 8 1/2 | | | | | | | | | | | |
| | CH*G6-8219 | 219 | 8 | | | | | | | | | | | | |
| H9 | CH*G6-9219 | 219 | 8 | | 470 | 395 | 410 | 8 | 160 | 470 | 395 | 25 | 160 | 35 | M30X450 |
| | CH*G6-9273 | 273 | 10 | | | | | | | | | | | | |
| | CH*G6-9324 | 324 | 12 | | | | | | | | | | | | |
| H10 | CH*G6-10356-10406 | 356-406 | 14-16 | | 630 | 534 | 530 | 20 | 180 | 630 | 534 | 25 | 180 | 35 | M30X560 |
| H11 | CH*G6-11419-11508 | 419-508 | 18-20 | | 788 | 670 | 660 | 40 | 230 | 788 | 670 | 30 | 230 | 40 | M36X710 |

Different forms of requirements upon request

Acc. to German standard: DIN 3015